




RAS REINHARDT MASCHINENBAU GMBH

Production Program



Forming


SWAGING MACHINES


EasyFormer



The EasyFormer swaging machines "learn" from the operator how to swage and flange parts. In automatic mode the machine clones the taught sequence. The variable speed allows both: sensitive work with complicated parts or fast and productive runs with small series. The controller offers the best clarity and can be operated intuitively.











"Teach" function and "Automatic" function



Stepless speed regulation for sensitive work with complicated parts or fast and productive runs for small series



Flanging wheels FL: Flanging without swiveling the part.



Crimping bead



Double seaming wheels



Swaging wheels for insulation work



Screw-in seam



Hose seam for hydraulic pipes



7" Touch control



Stop plate for insulation pipes



UnLock function opens the wheels immediately in an emergency.



EasyFormer	RAS 12.35-3	RAS 12.65-3
SHEET THICKNESS MAX.	1.75 mm	3.0 mm
WHEEL CENTER DISTANCE	63 mm	100 mm
WORKING DEPTH MAX.	255 mm	400 mm





Bending

Cutting

Forming

Software

RAS Reinhardt Maschinenbau GmbH Richard-Wagner-Straße 4-10 71065 Sindelfingen

Fon: + 49-7031-863-0 info@ras-online.de